


SOJ-14/300*Author:* Ivex*Source:* - IPC-SM-782, REVISION A - AUGUST 1993*Size:* 8.62 x 9.8 mm


| PIN(s) | PAD | | | |
|--------|------|-------|---------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-14 | SMT | Rect | 0.65 x 2.2 mm | --- |

Scale 2:1

**SOJ-16/300***Author:* Ivex*Source:* - IPC-SM-782, REVISION A - AUGUST 1993*Size:* 9.89 x 9.8 mm


| PIN(s) | PAD | | | |
|--------|------|-------|---------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-16 | SMT | Rect | 0.65 x 2.2 mm | --- |

Scale 2:1

**SOJ-18/300***Author:* Ivex*Source:* - IPC-SM-782, REVISION A - AUGUST 1993*Size:* 11.16 x 9.8 mm


| PIN(s) | PAD | | | |
|--------|------|-------|---------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-18 | SMT | Rect | 0.65 x 2.2 mm | --- |

Scale 2:1

**SOJ-20/300***Author:* Ivex*Source:* - IPC-SM-782, REVISION A - AUGUST 1993*Size:* 12.43 x 9.8 mm


| PIN(s) | PAD | | | |
|--------|------|-------|---------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-20 | SMT | Rect | 0.65 x 2.2 mm | --- |

Scale 2:1

**SOJ-22/300***Author:* Ivex*Source:* - IPC-SM-782, REVISION A - AUGUST 1993*Size:* 13.7 x 9.8 mm

| PIN(s) | PAD | | | |
|--------|------|-------|---------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-22 | SMT | Rect | 0.65 x 2.2 mm | --- |


Scale 2:1



SOJ-24/300*Author:* Ivex*Source:* - IPC-SM-782, REVISION A - AUGUST 1993*Size:* 14.97 x 9.8 mm


| PIN(s) | PAD | | | |
|--------|------|-------|---------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-24 | SMT | Rect | 0.65 x 2.2 mm | --- |

Scale 2:1

**SOJ-26/300***Author:* Ivex*Source:* - IPC-SM-782, REVISION A - AUGUST 1993*Size:* 16.24 x 9.8 mm


| PIN(s) | PAD | | | |
|--------|------|-------|---------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-26 | SMT | Rect | 0.65 x 2.2 mm | --- |

Scale 2:1

**SOJ-28/300***Author:* Ivex*Source:* - IPC-SM-782, REVISION A - AUGUST 1993*Size:* 17.51 x 9.8 mm


| PIN(s) | PAD | | | |
|--------|------|-------|---------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-28 | SMT | Rect | 0.65 x 2.2 mm | --- |

Scale 2:1

**SOJ-14/350***Author:* Ivex*Source:* - IPC-SM-782, REVISION A - AUGUST 1993*Size:* 8.62 x 11 mm


| PIN(s) | PAD | | | |
|--------|------|-------|---------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-14 | SMT | Rect | 0.65 x 2.2 mm | --- |

Scale 2:1

**SOJ-16/350***Author:* Ivex*Source:* - IPC-SM-782, REVISION A - AUGUST 1993*Size:* 9.89 x 11 mm

| PIN(s) | PAD | | | |
|--------|------|-------|---------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-16 | SMT | Rect | 0.65 x 2.2 mm | --- |


Scale 2:1



SOJ-18/350*Author:* Ivex*Source:* - IPC-SM-782, REVISION A - AUGUST 1993*Size:* 11.16 x 11 mm


| PIN(s) | PAD | | | |
|--------|------|-------|---------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-18 | SMT | Rect | 0.65 x 2.2 mm | --- |

Scale 2:1

**SOJ-20/350***Author:* Ivex*Source:* - IPC-SM-782, REVISION A - AUGUST 1993*Size:* 12.43 x 11 mm


| PIN(s) | PAD | | | |
|--------|------|-------|---------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-20 | SMT | Rect | 0.65 x 2.2 mm | --- |

Scale 2:1

**SOJ-22/350***Author:* Ivex*Source:* - IPC-SM-782, REVISION A - AUGUST 1993*Size:* 13.7 x 11 mm


| PIN(s) | PAD | | | |
|--------|------|-------|---------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-22 | SMT | Rect | 0.65 x 2.2 mm | --- |

Scale 2:1

**SOJ-24/350***Author:* Ivex*Source:* - IPC-SM-782, REVISION A - AUGUST 1993*Size:* 14.97 x 11 mm


| PIN(s) | PAD | | | |
|--------|------|-------|---------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-24 | SMT | Rect | 0.65 x 2.2 mm | --- |

Scale 2:1

**SOJ-26/350***Author:* Ivex*Source:* - IPC-SM-782, REVISION A - AUGUST 1993*Size:* 16.24 x 11 mm

| PIN(s) | PAD | | | |
|--------|------|-------|---------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-26 | SMT | Rect | 0.65 x 2.2 mm | --- |


Scale 2:1



SOJ-28/350*Author:* Ivex*Source:* - IPC-SM-782, REVISION A - AUGUST 1993*Size:* 17.51 x 11 mm


| PIN(s) | PAD | | | |
|--------|------|-------|---------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-28 | SMT | Rect | 0.65 x 2.2 mm | --- |

Scale 2:1

**SOJ-14/400***Author:* Ivex*Source:* - IPC-SM-782, REVISION A - AUGUST 1993*Size:* 8.62 x 12.2 mm


| PIN(s) | PAD | | | |
|--------|------|-------|---------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-14 | SMT | Rect | 0.65 x 2.2 mm | --- |

Scale 2:1

**SOJ-16/400***Author:* Ivex*Source:* - IPC-SM-782, REVISION A - AUGUST 1993*Size:* 9.89 x 12.2 mm


| PIN(s) | PAD | | | |
|--------|------|-------|---------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-16 | SMT | Rect | 0.65 x 2.2 mm | --- |

Scale 2:1

**SOJ-18/400***Author:* Ivex*Source:* - IPC-SM-782, REVISION A - AUGUST 1993*Size:* 11.16 x 12.2 mm


| PIN(s) | PAD | | | |
|--------|------|-------|---------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-18 | SMT | Rect | 0.65 x 2.2 mm | --- |

Scale 2:1

**SOJ-20/400***Author:* Ivex*Source:* - IPC-SM-782, REVISION A - AUGUST 1993*Size:* 12.43 x 12.2 mm

| PIN(s) | PAD | | | |
|--------|------|-------|---------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-20 | SMT | Rect | 0.65 x 2.2 mm | --- |


Scale 2:1



SOJ-22/400*Author:* Ivex*Source:* - IPC-SM-782, REVISION A - AUGUST 1993*Size:* 13.7 x 12.2 mm


| PIN(s) | PAD | | | |
|--------|------|-------|---------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-22 | SMT | Rect | 0.65 x 2.2 mm | --- |

Scale 2:1

**SOJ-24/400***Author:* Ivex*Source:* - IPC-SM-782, REVISION A - AUGUST 1993*Size:* 14.97 x 12.2 mm


| PIN(s) | PAD | | | |
|--------|------|-------|---------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-24 | SMT | Rect | 0.65 x 2.2 mm | --- |

Scale 2:1

**SOJ-26/400***Author:* Ivex*Source:* - IPC-SM-782, REVISION A - AUGUST 1993*Size:* 16.24 x 12.2 mm


| PIN(s) | PAD | | | |
|--------|------|-------|---------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-26 | SMT | Rect | 0.65 x 2.2 mm | --- |

Scale 2:1

**SOJ-28/400***Author:* Ivex*Source:* - IPC-SM-782, REVISION A - AUGUST 1993*Size:* 17.51 x 12.2 mm


| PIN(s) | PAD | | | |
|--------|------|-------|---------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-28 | SMT | Rect | 0.65 x 2.2 mm | --- |

Scale 2:1

**SOJ-14/450***Author:* Ivex*Source:* - IPC-SM-782, REVISION A - AUGUST 1993*Size:* 8.62 x 13.6 mm

| PIN(s) | PAD | | | |
|--------|------|-------|---------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-14 | SMT | Rect | 0.65 x 2.2 mm | --- |


Scale 2:1



SOJ-16/450*Author:* Ivex*Source:* - IPC-SM-782, REVISION A - AUGUST 1993*Size:* 9.89 x 13.6 mm


| PIN(s) | PAD | | | |
|--------|------|-------|---------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-16 | SMT | Rect | 0.65 x 2.2 mm | --- |

Scale 2:1

**SOJ-18/450***Author:* Ivex*Source:* - IPC-SM-782, REVISION A - AUGUST 1993*Size:* 11.16 x 13.6 mm


| PIN(s) | PAD | | | |
|--------|------|-------|---------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-18 | SMT | Rect | 0.65 x 2.2 mm | --- |

Scale 2:1

**SOJ-20/450***Author:* Ivex*Source:* - IPC-SM-782, REVISION A - AUGUST 1993*Size:* 12.43 x 13.6 mm


| PIN(s) | PAD | | | |
|--------|------|-------|---------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-20 | SMT | Rect | 0.65 x 2.2 mm | --- |

Scale 2:1

**SOJ-22/450***Author:* Ivex*Source:* - IPC-SM-782, REVISION A - AUGUST 1993*Size:* 13.7 x 13.6 mm


| PIN(s) | PAD | | | |
|--------|------|-------|---------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-22 | SMT | Rect | 0.65 x 2.2 mm | --- |

Scale 2:1

**SOJ-24/450***Author:* Ivex*Source:* - IPC-SM-782, REVISION A - AUGUST 1993*Size:* 14.97 x 13.6 mm

| PIN(s) | PAD | | | |
|--------|------|-------|---------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-24 | SMT | Rect | 0.65 x 2.2 mm | --- |


Scale 2:1



SOJ-26/450*Author:* Ivex*Source:* - IPC-SM-782, REVISION A - AUGUST 1993*Size:* 16.24 x 13.6 mm

| PIN(s) | PAD | | | |
|--------|------|-------|---------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-26 | SMT | Rect | 0.65 x 2.2 mm | --- |

Scale 2:1

**SOJ-28/450***Author:* Ivex*Source:* - IPC-SM-782, REVISION A - AUGUST 1993*Size:* 17.51 x 13.6 mm

| PIN(s) | PAD | | | |
|--------|------|-------|---------------|------|
| | TYPE | SHAPE | SIZE | HOLE |
| 1-28 | SMT | Rect | 0.65 x 2.2 mm | --- |

Scale 2:1

