

△ : The components identified by the mark of △ in the schematic are important X-Radiation and Safety Parts. Should replacement is required, replace only with the same type and rating originally used. CRT, T302 (FR1), R226, R231, R230, IC201, C314, C315, T601


△ : The components identified by the mark of △ in the schematic are important safety parts. If replacement is required, refer to service manual to re-adjust and/or re-checked the B+ and High Voltage to reach the specified value.

T601, V601, R617, R616, R607, R611, R601, T302 (FR1), R226, R216, C205

- NOTES:
1. Resistor values are in ohm, K=1,000 ohm, M=1,000,000 ohm
 2. All resistors are 5%, 1/8 watt except where otherwise indicated
 3. $\nabla \nabla \nabla$ Represents PCB common ground.

ACER 明基電腦股份有限公司
Acer Peripherals, Inc.


ACVIEW	7256C	ISPS CRT	SCHEMATICS
SIZE	A3	2561M-A0.SCH	FAB A0
DATE	4/16/1997	Doc No 304-C01	REV 0
Project Code	91 72702 001		
Prepared By	Reviewed By	Approved By	



- NOTES: 1. Resistor values are in ohm, K=1,000 ohm, M=1,000,000 ohm
 2. All resistors are 1/8 watt, 5% except where otherwise indicated
 3. PCB common ground Represents PCB common ground.

Acer 明基電腦股份有限公司
Acer Peripherals, Inc.


ACERVIEW	7256C	(MAIN.CKT)	SCHEMATICS	
SIZE	A4	2561M-A0.SCH	FAB	Doc. No.
		A0		304-C01
DATE :	4/16/1997	Sheet	3	OF 5
Project Code.		91.72702.001		
Prepared By		Reviewed By	Approved By	



MAIN BOARD


M301 TO VIDEO BOARD

VIDEO BOARD



MAIN BOARD

YOKE
M303 4P



- NOTES: 1. Resistor values are in ohm, K=1,000 ohm, M=1,000,000 ohm
 2. All resistors are 1/8 watt, 5% except where otherwise indicated.
 3. ∇ ∇ ∇ Represents PCB common ground.

Acer 明基電腦股份有限公司
Acer Peripherals, Inc.

ACERVIEW 7256C (MAIN CKT)		SCHEMATICS		
SIZE A4	2561M-A0 SCH	FAB A0	Doc No 304-C01	REV 0
DATE 4/16/1997		Sheet 2	OF 5	
Project Code 91.72702.001				
Prepared By		Reviewed By		Approved By

