


REAR SCHEMATIC DIAGRAM


02 REAR




- NOTES: 1. Mark(*) is not used.
2. COMPARISON CHART OF MODELS & MARKS(*)

REF. NO	MODELS	GR-AX88S
CPS	ICP-N10	NOT USED

AC110V ~ 240V
50 Hz/60 Hz




```
01 MAIN(AF/CPU)
```




NOTES: 1. Mark(*) is not used.
2. SIGNAL PATH SYMBOLS.

⇒ FOCUS ⇒ IRIS




CCD SCHEMATIC DIAGRAM

- NOTES: 1. Max(*) is not used.
2. A DC-DC converter is included in the IC of this CCD circuit. Use ample care when checking the voltages. Even a brief shorting of the pins can destroy the IC.



BOARD INTERCONNECTIONS




A

B

C


D

NOTES:
1. () WR[...] indications on BOARD INTERCONNECTIONS are as shown below.
() : Printed board block number in the parts list.
WR[...] : Reference number of special wire in the parts list.
2. Asterisk(*) of BOARD INTERCONNECTIONS indicate the patch cord number.
3. Mark (#) is not used.





LINEAR AUDIO SCHEMATIC DIAGRAM

01 MAIN(LINEAR AUDIO)




MDA SCHEMATIC DIAGRAM





NOTE: Mark(*) is not used.


PROCESS AND Y/C SCHEMATIC DIAGRAM



NOTES: 1. Mark (*) is not used.
2. COMPARISON CHART OF MODELS & MARKS (*)


REF. NO	MODELS	
	GR-AXBBS	GR-AY6BS
D504	DAN222	NOT USED
R534	0	NOT USED
R536	NOT USED	0
R541	10K	NOT USED
R527	820	1K

3. SIGNAL PATH SYMBOLS:



03 SECAM(COLOUR)

TO PROCESS & Y/C
CN18
(Page 4-20)




NOTES: 1. Mark(*) is not used.
2. COMPARISON CHART OF MODELS & MARKS(*)

REF. NO	MODELS	
	GR-AX6BS	GR-AX8BS
Q103	NOT USED	2SC4617(ORS)
Q104	NOT USED	2SA1774(ORS)
Q106	NOT USED	2SC4617(ORS)
Q107	NOT USED	2SA1774(ORS)
R118	NOT USED	470
R119	NOT USED	470
R120	NOT USED	2.2K
R122	NOT USED	3.9K
R125	NOT USED	470


REF. NO	MODELS	
	GR-AX6BS	GR-AX8BS
R126	NOT USED	470
R127	NOT USED	2.2K
R129	NOT USED	3.9K
C136	NOT USED	82P
C138	NOT USED	82P
L107	NOT USED	220
L108	NOT USED	220

03 SECAM(ENCODER)




NOTE: Mark(*) is not used.

SYSCON SCHEMATIC DIAGRAM




M37771M6A161

REF. NO	MODELS	
	GR-AX665	GR-AX685
R60	10K	NOT USED
R61	1.5K	10K



ELECTRONIC VIEWFINDER SCHEMATIC DIAGRAM [for GR-AX68S]



ELECTRONIC VIEWFINDER SCHEMATIC DIAGRAM [for GR-AX88S]

