



ALL INTEGRATED CIRCUITS ARE FROM MANUFACTURERS WHOSE DATA SHEETS ARE AVAILABLE FROM THE MANUFACTURER. COMPONENTS WITH A Δ WIRE SPECIFICATION REQUIRE SPECIAL HANDLING TECHNIQUES. SAFETY AND SERVICE PRECAUTIONS MUST BE OBSERVED IN THE SAFETY AND SERVICE PRECAUTIONS PUBLICATION.

- PRODUCT SAFETY NOTE
- COMPONENTS WITH A Δ WIRE SPECIFICATION REQUIRE SPECIAL HANDLING TECHNIQUES. SAFETY AND SERVICE PRECAUTIONS MUST BE OBSERVED IN THE SAFETY AND SERVICE PRECAUTIONS PUBLICATION.
- THE PRODUCT SAFETY NOTE IN THIS PUBLICATION IS A WARNING OF THE SAFETY OF THE SET THROUGH IMPROPER SERVICING.
1. ALL INTEGRATED CIRCUITS ARE FROM MANUFACTURERS WHOSE DATA SHEETS ARE AVAILABLE FROM THE MANUFACTURER. COMPONENTS WITH A Δ WIRE SPECIFICATION REQUIRE SPECIAL HANDLING TECHNIQUES. SAFETY AND SERVICE PRECAUTIONS MUST BE OBSERVED IN THE SAFETY AND SERVICE PRECAUTIONS PUBLICATION.
2. CAPACITORS ARE 10% TOLERANCE UNLESS OTHERWISE INDICATED. EXCEPT WHERE INDICATED, VOLTAGE RATING IS 50V EXCEPT WHERE INDICATED.
3. Δ DENOTES CHASSIS GROUND. \oplus INDICATES CONNECTION VIA POINT-TO-POINT WIRE. \ominus INDICATES JUMPER WIRE.