


DVD POWER SUPPLY SCHEMATIC

781 | 782 | 783 | 784 | 785 | 786 | 787 | 788 | 789 | 790 | 791 | 792 | 793 | 794 | 795 | 796 | 797 | 798 | 799 | 800



- SCHEMATIC NOTES
1. RESISTANCE VALUES ARE IN OHMS; K=1,000, Meg=1,000,000.
RESISTORS ARE 0.250W 5%, EXCEPT WHERE INDICATED.
[] INDICATES FLAT MAXI-CHIP COMPONENT, 1/8W EXCEPT WHERE INDICATED.
[] INDICATES FLAT MAXI-CHIP COMPONENT, 1/10W EXCEPT WHERE INDICATED.
CAPACITANCE VALUES 1.0 AND ABOVE ARE IN P.F. VALUES BELOW 1.0 ARE IN P.F.
EXCEPT WHERE INDICATED, VOLTAGE RATING IS 50V EXCEPT WHERE INDICATED.
[] INDICATES FLAT MAXI-CHIP COMPONENT.
[] INDICATES FLAT MINI-CHIP COMPONENT.
[] INDICATES FLAT MINI-CHIP COMPONENT.
[] DENOTES ISOLATED GROUND.
[] DENOTES ISOLATED GROUND.
[] INDICATES ZERO OHM CHIP COMPONENT.
 2. CAPACITANCE VALUES 1.0 AND ABOVE ARE IN P.F. VALUES BELOW 1.0 ARE IN P.F.
EXCEPT WHERE INDICATED, VOLTAGE RATING IS 50V EXCEPT WHERE INDICATED.
[] INDICATES FLAT MAXI-CHIP COMPONENT.
[] INDICATES FLAT MINI-CHIP COMPONENT.
[] INDICATES FLAT MINI-CHIP COMPONENT.
[] DENOTES ISOLATED GROUND.
[] DENOTES ISOLATED GROUND.
[] INDICATES ZERO OHM CHIP COMPONENT.
 3. [] INDICATES FLAT MAXI-CHIP COMPONENT.
[] INDICATES FLAT MINI-CHIP COMPONENT.
[] INDICATES FLAT MINI-CHIP COMPONENT.
[] DENOTES ISOLATED GROUND.
[] DENOTES ISOLATED GROUND.
[] INDICATES ZERO OHM CHIP COMPONENT.

SERVICE NOTICE

ALL INTEGRATED CIRCUITS
AND MANY OTHER SEMI-
CONDUCTORS ARE ELECTROSTATI-
CALLY SENSITIVE AND REQUIRE
SPECIAL HANDLING TECHNIQUES
DESCRIBED UNDER "ELECTROSTATI-
CALLY SENSITIVE (ES) DEVICES" IN THE
PRODUCT SAFETY NOTICE IN THIS
PUBLICATION.

PRODUCT SAFETY NOTE
COMPONENTS WITH A HAVE SPE-
CIAL CHARACTERISTICS IMPORTANT TO
SAFETY. BEFORE REPLACING ANY OF
THESE COMPONENTS, CONSULT
THE PRODUCT SAFETY NOTICE IN THIS
SERVICE DATA. DO NOT DEGRADE THE
SAFETY OF THE SET THROUGH
IMPROPER SERVICING.