



ALL INTEGRATED CIRCUITS AND MANY OTHER SEMICONDUCTORS ARE ELECTROSTATICALLY SENSITIVE AND REQUIRE PRECAUTIONS TO PREVENT DAMAGE. DISSEMBLY UNDER "ELECTROSTATIC PRECAUTIONS" IN THE SAFETY AND SERVICE PRECAUTIONS PUBLICATION.

PRODUCT SAFETY NOTE  
COMPONENTS WITH A WIRE OR SOLDER BEADS ADJACENT TO THE SAFETY, BEFORE REPAIRING ANY OF THESE COMPONENTS READ CAREFULLY THE PRODUCT SAFETY NOTICE IN THE SERVICE DATA. DO NOT DEGRADE THE SAFETY OF THE SET THROUGH IMPROPER SERVICING.

- SCHEMATIC NOTES
1. RESISTANCE VALUES ARE IN OHMS: K=X1000, M=X1,000,000. EXCEPT WHERE INDICATED, RESISTORS ARE 1/4W 5% EXCEPT WHERE INDICATED.
  2. CAPACITANCE VALUES ARE IN PICO FARADS (PF) EXCEPT WHERE INDICATED. EXCEPT WHERE INDICATED, CAPACITORS ARE 50V EXCEPT WHERE INDICATED.
  3. INDICATES FLAT MINI-CHIP COMPONENT. INDICATES FLAT MINI-CHIP COMPONENT. INDICATES FLAT MINI-CHIP COMPONENT. INDICATES FLAT MINI-CHIP COMPONENT. INDICATES FLAT MINI-CHIP COMPONENT. INDICATES FLAT MINI-CHIP COMPONENT.