




BLOCK DIAGRAM SUBINDEX

- INTERCONNECT WIRING DIAGRAM
- SERVO & SYSCON BLOCK DIAGRAM
- VIDEO BLOCK DIAGRAM
- AUDIO BLOCK DIAGRAM
- HI-FI AUDIO BLOCK DIAGRAM
- POWER SUPPLY BLOCK DIAGRAM
- COMMERCIAL ADVANCE BLOCK DIAGRAM



PROSACON Z

VR352, VR552, VR554, VR639HF, VR646HF, VR647HF, VR650HF, VG2051, VG4274  
INTERCONNECT WIRING DIAGRAM



ALL INTEGRATED CIRCUITS AND MANY OTHER SEMI CONDUCTORS ARE ELECTROSTATICALLY SENSITIVE AND REQUIRE SPECIAL HANDLING TECHNIQUES DESCRIBED UNDER "ELECTROSTATICALLY SENSITIVE (ES) DEVICES" IN THE SAFETY AND SERVICING PRECAUTIONS PUBLICATION.

CALLOUTS NEXT TO WIRING PLUGS INDICATE CONNECTIONS TO OTHER SCHEMATICS.

PRODUCT SAFETY NOTE  
COMPONENTS WITH A (\*) HAVE SPECIAL CHARACTERISTICS IMPORTANT TO SAFETY. BEFORE REPLACING ANY OF THESE COMPONENTS READ CAREFULLY THE PRODUCT SAFETY IN THIS SERVICE DATA. DO NOT DEGRADE THE SAFETY OF THE SET THROUGH IMPROPER SERVICING.

VOLTAGE TAKEN IN SP PLAY MODE ( ) RECORD MODE.



VR352, VR552, VR554, VR639HF, VR646HF, VR647HF, VR650HF, VG2051, VG4274

SERVO & SYSCON BLOCK DIAGRAM

